

FORMULAS FOR REFERENCE

SPHERE	Surface area	=	$4\pi r^2$
	Volume	=	$\frac{4}{3}\pi r^3$
CYLINDER	Area of curved surface	=	$2\pi rh$
	Volume	=	$\pi r^2 h$
CONE	Area of curved surface	=	πrl
	Volume	=	$\frac{1}{3}\pi r^2 h$
PRISM	Volume	=	base area \times height
PYRAMID	Volume	=	$\frac{1}{3} \times$ base area \times height

There are 36 questions in Section A and 18 questions in Section B. The diagrams in this paper are not necessarily drawn to scale. Choose the best answer for each question.

Section A

1. $a \cdot a(a+a) =$

- A. a^4 .
- B. $2a^3$.
- C. $a^3 + a$.
- D. $3a^2 + a$.

2. If $a = 1 - 2b$, then $b =$

- A. $\frac{a-1}{2}$.
- B. $\frac{a+1}{2}$.
- C. $\frac{-1-a}{2}$.
- D. $\frac{1-a}{2}$.

3. If $f(x) = 2x^2 - 3x + 4$, then $f(1) - f(-1) =$


- A. -6.
- B. -2.
- C. 2.
- D. 6.

4. $(2x-3)(x^2+3x-2) \equiv$

- A. $2x^3 + 3x^2 + 5x - 6$.
- B. $2x^3 + 3x^2 + 5x + 6$.
- C. $2x^3 + 3x^2 - 13x - 6$.
- D. $2x^3 + 3x^2 - 13x + 6$.


5. In the figure, the area of the trapezium is 12 cm^2 . Which of the following equations can be used to find x ?

- A. $x(x+2) = 12$
- B. $x(x+2) = 24$
- C. $x^2 - x(x-2) = 12$
- D. $x^2 - x(x-2) = 24$



6. The figure shows the graph of $y = ax^2 + x + b$. Which of the following is true?

- A. $a > 0$ and $b < 0$
- B. $a > 0$ and $b > 0$
- C. $a < 0$ and $b < 0$
- D. $a < 0$ and $b > 0$



7. If $\begin{cases} \beta = \alpha^2 - 3 \\ \beta = 4\alpha - 3 \end{cases}$, then $\beta =$

- A. 4.
- B. 13.
- C. 0 or 4.
- D. -3 or 13.

8. If the quadratic equation $kx^2 + 6x + (6-k) = 0$ has equal roots, then $k =$

- A. -6.
- B. -3.
- C. 3.
- D. 6.

9. The solution of $2(3-x) > -4$ is

- A. $x < 5$.
- B. $x > 5$.
- C. $x < 10$.
- D. $x > 10$.

10. If $x^2 + 2ax + 8 \equiv (x+a)^2 + b$, then $b =$

- A. 8 .
- B. $a^2 + 8$.
- C. $a^2 - 8$.
- D. $8 - a^2$.

11. If the 2nd term and the 5th term of a geometric sequence are -3 and 192 respectively, then the common ratio of the sequence is

- A. -8 .
- B. -4 .
- C. 4 .
- D. 8 .

12. Peter sold two flats for \$ 999 999 each. He lost 10% on one and gained 10% on the other. After the two transactions, Peter

- A. gained \$ 10 101 .
- B. gained \$ 20 202 .
- C. lost \$ 10 101 .
- D. lost \$ 20 202 .

13. Let x and y be non-zero numbers. If $2x - 3y = 0$, then $(x + 3y) : (x + 2y) =$


- A. 3 : 2 .
- B. 4 : 3 .
- C. 9 : 7 .
- D. 11 : 8 .

14. If z varies directly as y^2 and inversely as x , which of the following must be constant?

- A. xy^2z
- B. $\frac{y^2z}{x}$
- C. $\frac{xz}{y^2}$
- D. $\frac{z}{xy^2}$


15. In the figure, the bearing of P from Q is

- A. N 27° W .
 B. S 27° E .
 C. N 63° W .
 D. S 63° E .




16. In the figure, $ABCD$ is a rhombus and CDE is an equilateral triangle. If ADE is a straight line, then the area of the quadrilateral $ABCE$ is

- A. $2\sqrt{3} \text{ cm}^2$.
 B. $3\sqrt{3} \text{ cm}^2$.
 C. $4\sqrt{3} \text{ cm}^2$.
 D. $6\sqrt{3} \text{ cm}^2$.




17. The figure shows a solid right circular cone of height 5 cm and slant height 13 cm. Find the total surface area of the cone.

- A. $144\pi \text{ cm}^2$
 B. $156\pi \text{ cm}^2$
 C. $240\pi \text{ cm}^2$
 D. $300\pi \text{ cm}^2$




18. The figure shows a right triangular prism. Find the volume of the prism.

- A. 36 cm^3
 B. 72 cm^3
 C. $36\sqrt{3} \text{ cm}^3$
 D. $72\sqrt{3} \text{ cm}^3$



19. In the figure, OAB is a sector of radius 2 cm. If the length of \widehat{AB} is 3π cm, then the area of the sector OAB is

- A. $\frac{3\pi}{2} \text{ cm}^2$.
 B. $3\pi \text{ cm}^2$.
 C. $4\pi \text{ cm}^2$.
 D. $6\pi \text{ cm}^2$.




20. For $0^\circ \leq \theta \leq 90^\circ$, the greatest value of $\frac{5 - \sin \theta}{4 + \sin \theta}$ is

- A. $\frac{4}{5}$.
 B. 1 .
 C. $\frac{5}{4}$.
 D. 2 .


21. In the figure, θ is an acute angle. Find θ correct to the nearest degree.

- A. 35°
 B. 50°
 C. 56°
 D. 57°




22. In the figure, $\cos \theta =$

- A. $\frac{1}{8}$
 B. $\frac{1}{4}$
 C. $\frac{7}{8}$
 D. $\frac{7}{4}$




23. In the figure, $ABCD$ is a rectangle. If BED is a straight line, then the area of $\triangle ABE$ is

- A. $\frac{\sqrt{3}}{6} \text{ cm}^2$
 B. $\frac{\sqrt{3}}{2} \text{ cm}^2$
 C. $\frac{2\sqrt{3}}{3} \text{ cm}^2$
 D. $\sqrt{3} \text{ cm}^2$




24. In the figure, $ABCD$ is a circle. AB produced and DC produced meet at E . If AC and BD intersect at F , then $\angle ABD =$

- A. 41°
 B. 52°
 C. 56°
 D. 60°




25. In the figure, $ABCD$ is a circle. If AC is a diameter of the circle and $AB = BD$, then $\angle CAD =$

- A. 18°
 B. 21°
 C. 27°
 D. 36°




26. If $AC = BD$ and $AB \parallel DC$, how many pairs of similar triangles are there in the figure?

- A. 2 pairs
 B. 3 pairs
 C. 4 pairs
 D. 5 pairs




27. In the figure, $ABCD$ is a square. If CEF is an equilateral triangle, then $\angle CBF =$

- A. 45° .
 B. 50° .
 C. 60° .
 D. 80° .




28. In the figure, $x =$

- A. 50° .
 B. 60° .
 C. 70° .
 D. 90° .




29. In the figure, $OABC$ and $OFED$ are straight lines. If $AB:BC = 2:3$ and $FA:DC = 1:5$, then $OA:AB =$

- A. $1:1$.
 B. $1:2$.
 C. $5:8$.
 D. $5:13$.



30. In the figure, the length of the line segment joining A and F is

- A. $\sqrt{68}$.
 B. $\sqrt{77}$.
 C. $\sqrt{82}$.
 D. $\sqrt{85}$.




31. $A(2, 5)$ and $B(6, -3)$ are two points. If P is a point lying on the straight line $x = y$ such that $AP = PB$, then the coordinates of P are

- A. $(-2, -2)$.
 B. $(-2, 4)$.
 C. $(1, 1)$.
 D. $(4, 1)$.

32. In the figure, $ABCD$ is a parallelogram. The coordinates of B are

- A. $(3, 2)$.
- B. $(3, 5)$.
- C. $(4, 5)$.
- D. $(4, 6)$.



33. If the equation of the straight line L is $x - 2y + 3 = 0$, then the equation of the straight line passing through the point $(2, -1)$ and perpendicular to L is

- A. $x + 2y + 3 = 0$.
- B. $x + 2y - 3 = 0$.
- C. $2x + y + 3 = 0$.
- D. $2x + y - 3 = 0$.

34. If the mean of five numbers 15 , $x + 4$, $x + 1$, $2x - 7$ and $x - 3$ is 6 , then the mode of the five numbers is

- A. 1 .
- B. 4 .
- C. 5 .
- D. 15 .

35. Bag X contains 1 white ball and 3 red balls while bag Y contains 3 yellow balls and 6 red balls. A ball is randomly drawn from bag X and put into bag Y . If a ball is now randomly drawn from bag Y , then the probability that the ball drawn is red is

- A. $\frac{1}{2}$.
- B. $\frac{2}{3}$.
- C. $\frac{21}{40}$.
- D. $\frac{27}{40}$.

36. If a fair die is thrown three times, then the probability that the three numbers thrown are all different is

- A. $\frac{5}{9}$.
- B. $\frac{17}{18}$.
- C. $\frac{125}{216}$.
- D. $\frac{215}{216}$.

Section B

37. If n is a positive integer, then $\frac{1}{1+2\sqrt{n}} - \frac{1}{1-2\sqrt{n}} =$

A. $\frac{4\sqrt{n}}{1-4n}$

B. $\frac{-4\sqrt{n}}{1+4n}$

C. $\frac{4\sqrt{n}}{4n+1}$

D. $\frac{4\sqrt{n}}{4n-1}$

38. The H.C.F. of $x^2(x+1)(x+2)$ and $x(x+1)^3$ is

A. $x(x+1)$

B. $x(x+1)(x+2)$

C. $x^2(x+1)^3$

D. $x^2(x+1)^3(x+2)$

39. If a and b are positive integers, then $\log(a^b b^a) =$

A. $ab \log(ab)$

B. $ab(\log a)(\log b)$

C. $(a+b) \log(a+b)$

D. $b \log a + a \log b$

40. Let k be a positive integer. When $x^{2k+1} + kx + k$ is divided by $x+1$, the remainder is

A. -1

B. 1

C. $2k-1$

D. $2k+1$

41. Which of the regions in the figure may represent the solution of


$$\begin{cases} x \leq 2 \\ x + y \geq 2 \\ x - y \geq 0 \end{cases}$$

A. Region I

B. Region II

C. Region III

D. Region IV




42. If four arithmetic means are inserted between 12 and 27, then the sum of the four arithmetic means is

- A. 78.
- B. 90.
- C. 105.
- D. 117.

43. In the figure, ACE and BDF are straight lines. If the areas of the quadrilaterals $ABDC$ and $CDFE$ are 16 cm^2 and 5 cm^2 respectively, then the length of AB is

- A. 4.5 cm.
- B. 5 cm.
- C. 5.5 cm.
- D. 6 cm.



44. For $0^\circ \leq x \leq 360^\circ$, how many distinct roots does the equation $\cos x (\sin x - 1) = 0$ have?

- A. 2
- B. 3
- C. 4
- D. 5

45. $\sin(90^\circ - x) + \cos(x + 180^\circ) =$


- A. 0.
- B. $-2 \cos x$.
- C. $\sin x + \cos x$.
- D. $\sin x - \cos x$.

46. $\sin^2 1^\circ + \sin^2 3^\circ + \sin^2 5^\circ + \dots + \sin^2 87^\circ + \sin^2 89^\circ =$

- A. 22.
- B. 22.5.
- C. 44.5.
- D. 45.


47. In the figure, B , C and D are three points on a horizontal plane such that $\angle CBD = 90^\circ$. If AB is a vertical pole, then $\angle BCD =$

- A. 15° .
 B. 30° .
 C. 45° .
 D. 60° .




48. In the figure, $VABCD$ is a right pyramid with a square base. If the angle between VA and the base is 45° , then $\angle AVB =$

- A. 45° .
 B. 60° .
 C. 75° .
 D. 90° .




49. In the figure, AB and AC are tangents to the circle at X and Y respectively. Z is a point lying on the circle. If $\angle BAC = 100^\circ$, then $\angle XZY =$

- A. 40° .
 B. 45° .
 C. 50° .
 D. 55° .




50. In the figure, O is the centre of the circle and AOC is a straight line. If AB and BC are tangents to the circle such that $AB = 3$ and $BC = 4$, then the radius of the circle is

- A. $\frac{3}{2}$.
 B. $\frac{12}{7}$.
 C. 2 .
 D. $\frac{5}{2}$.




51. In the figure, $ABCD$ is a circle. If $\widehat{AB} : \widehat{BC} : \widehat{CD} : \widehat{DA} = 1 : 2 : 3 : 3$ and E is a point lying on BD , then $\angle CAE =$

- A. 45° .
 B. 50° .
 C. 55° .
 D. 60° .




52. In the figure, $ABCD$ is a parallelogram. E , F and G are points lying on BC , CD and DA respectively. AE and AF divide $\angle BAD$ into three equal parts and BG bisects $\angle ABC$. If AE and AF intersect BG at H and I respectively, then $\angle GIF + \angle GHE =$

- A. 120° .
 B. 150° .
 C. 180° .
 D. 210° .




53. In the figure, O is the origin. If the equation of the circle passing through O , A , B and C is $(x+3)^2 + (y-4)^2 = 25$, then the area of the rectangle $OABC$ is

- A. 36.
 B. 48.
 C. 50.
 D. 64.



54. In the figure, the circle passing through $A(0, 8)$ and $B(0, 2)$ touches the positive x -axis. The equation of the circle is

- A. $x^2 + y^2 - 8x - 10y + 16 = 0$.
 B. $x^2 + y^2 + 8x + 10y + 16 = 0$.
 C. $x^2 + y^2 - 10x - 10y + 16 = 0$.
 D. $x^2 + y^2 + 10x + 10y + 16 = 0$.



END OF PAPER